

U.S. HealthWorks
General Construction Building Standard Specifications
Revised 11-23-16 3-13-17

1. Partitions

a. Interior Partition

Minimum 3-5/8", 20 GA metal studs at 16" O.C. with one layer 5/8" type X gypsum board each side from floor to plus 6" above suspended ceiling. All walls to receive sound batt insulation.

b. Slab-to-slab Partition

Minimum 3-5/8", 20 GA. metal studs at 16" O.C. with one layer 5/8" gypsum board each side from floor to structure above. (HEIGHT MAY REQUIRE 6" STUD TO MEET CODE) All walls to receive sound batt insulation.

c. Plumbing Partitions

Minimum of 3 5/8", 20 GA for one sided plumbing partition. Use one layer of 5/8" mold and moisture resistant purple board on wet side.

Or

use 6", 20 GA for double sided plumbing partition and provide a layer of 5/8" mold and moisture resistant purple board on each side of wet wall.

NOTE: On all other walls in toilet rooms use 5/8" moisture resistant green or purple gypsum board (depending on jurisdiction) up to 4'-0" A.F.F., typical.

d. All walls to receive smooth Level 4 finish. Existing walls currently textured shall be floated and finished to Level 4 smooth finish.

e. Steel backing (minimum 20 gauge) to be installed behind all wall hung equipment and casework.

2. Plumbing Fixtures

a. ADA Double-Bowl Sink

ELKAY "Lustertone Series" #LRAD(Q)2922 with 3 faucet holes on 4" centers. 29"L x 22"W x 5-1/2"D. Provide with offset drain #LK35L and matching trap. Stainless steel finish (staff break room only).

Elkay Lustertone Stainless Steel 29" x 22" x 6-1/2", Equal Double Bowl Top Mount Sink with Perfect Drain

LRADQ292265PD

<http://www.elkay.com/lradq292265pd>

b. ADA Single-Bowl Sink

ELKAY "Lustertone Series" #LRAD1918 054 with 3 faucet holes on 4" centers. 19"L x 18"W x 6-1/2"D. Provide with offset drain #LK35L and matching trap. Stainless steel finish.

Elkay Lustertone Stainless Steel 19" x 18" x 6-1/2", Single Bowl Top Mount Sink with Perfect Drain

LRAD191865PD

<http://www.elkay.com/lrad191865pd>

c. ADA Faucet

T&S BRASS & BRONZE WORKS - 8" centers, deck mount mixing faucet with Eterna Cartridges. B-WH4 4" wrist action handles. Rigid Gooseneck with B-0103 Rosespray. Chrome finish.

HyTronic Gooseneck Sink Faucet with Dual Beam Infrared Sensor

Model #: 116.123.AB.1

http://chicagofaucets.com/catalog/catalog.php?part_number=116.123.AB.1

d. ADA Faucet (Staff Break Room Only)

DELTA "Classic" #300-DST Single handle deck mount faucet with integral spray at Lunchroom only. Fills 3 sink holes. Chrome finish.

<https://www.deltafaucet.com/kitchen/product/300-dst>

e. ADA Water Closet ~~With Remote Flush Valve (Drug Screen Toilets)~~(needs flush valve)

KOHLER K4368, A.S. 3043.102 Madera 1.5 gallon flush, vit. China, elongated, floor mounted ~~with~~.

<http://www.us.kohler.com/us/Highcliff-1.6-gpf-17-1-2-ADA-elongated-toilet-bowl-with-top-inlet/productDetail/commercial-toilets/418482.htm?skuld=347285&brandId=431955>

**Kohler touchless toilet 1.6 gpf flushometer valve
K-10674-SV-CP**

<http://www.us.kohler.com/us/WAVE-touchless-toilet-1.6-gpf-flushometer-valve/productDetail/flushometers/1112384.htm?brandId=431955>

f. Remote Flush Valve (Drug Screen Toilets only)

ZURN ZH6606AV-MBP remote activated flush valve, WS1 1.6 gpf, (use 1-1/4" supply)

[Still looking](#)

f.g. ADA Water Closet Flush with Tank (Confirm Left or Right Handle)

KOHLER K-3589-0, 1.6 gal. flush, vit. China, elongated, floor mounted

<http://www.us.kohler.com/us/Cimarron-Comfort-Height-two-piece-elongated-1.6-gpf-toilet-with-AquaPiston-flush-technology-and-left-hand-trip-lever/productDetail/toilets/426436.htm?skuId=392458&brandId=1159451>

g.h. Mop Sink / Basin

FLORESTONE #MSR-2424 Molded mop receptor 24" x 24" x 10"D with integral drain, stainless steel drain grid and chrome strainer. Provide drain connection as required.

http://www.florestone.com/mop_sinks/msr-2424-msr3624.html

h.i. Utility Faucet

FIAT PRODUCTS #83830-AA Exposed yolk wall-mount utility faucet on 8" centers with vacuum breaker, wall brace, integral stops and pail hook. Chrome finish with optional #889-CC wall-mount 24" with mop bracket.

<http://www.fiatproducts.com/products/productDetail.aspx?id=5332>

i.j. Floor Sink

ZURN #FD-2375 Arc Sanitary Floor Sink. 12" x 12" x 6" sump deep, with 3/4 grate.

[Zurn FD2375-NH2 A.R.C. Floor Sink, 6" Sump Depth, 2" No-Hub Connection, 12" x 12"](#)

https://www.amazon.com/Zurn-FD2375-NH2-R-C-No-Hub-Connection/dp/B002L7Z0KU/ref=sr_1_1?ie=UTF8&qid=1487883166&sr=8-1&keywords=floor+sink

j.k. Water Fountain

HASLEY TAYLOR Model #HAC8FSBL-Q ADA Child SS. Self-contained, electric refrigerated, bi-level, wall mounted water cooler with cane touch apron. Standard 120V, 60HZ, single phase. Install 120V receptacle, rated at 15 amp minimum to receive 3-wire parallel. Mount unit to meet child ADA height.

https://www.amazon.com/Halsey-Taylor-HAC-8FS-BL-Q-ADA-SS-Barrier-Free/dp/B004RX9EFS/ref=sr_1_6?ie=UTF8&qid=1487883454&sr=8-6&keywords=halsey+taylor+drinking+fountains

k.l. Copper Cold-Water Lines

Provide 1/4" diameter copper cold-water line with shut-off valves to coffee maker locations

k.m. Garbage Disposal (Optional for Break Room)

IN-SINK-ERATOR "PRO-333 Series" 13"H x 7-1/4" diameter 1/2HP, 115V A.C., 6.7 amps.

3. Finishes

a. Floor Finishes

i. LVT

All areas except where indicated below:

Burke LVT 20WB-2367WB, 20 mil luxury vinyl tile (Natural Woods) Light Oak

Use adhesive RB-711 wet set per the manufacturer's requirements.

Brick offset landscape-all one direction.

Also install in curtained bays areas of PT, Laundry room of PT and Hydrocollator area

Contact Jaime Topete at JaimeTopete@burkeindustries.com

cell (562) 202-8463 for pricing and stock availability. Maintenance specifications to be attached to appendix

ii. Sheet Vinyl

Toilets, Lab, Procedure, Janitors and Laundry

Armstrong / Medintech / Color name: Silver Gray / #84197

Heat welded with 6" self-coved base

When installing use solid welding rod WS103 Light Sterling.

Contact Ron Rodriguez at rdrodriguez@armstrongflooring.com

cell (323) 333-5178 for pricing and stock availability. Maintenance specifications to be attached to appendix

iii. Carpet

Offices, conference room, audio room and PT open area

Shaw Contract Group / Carpet / Vapor Tile 18" x 36"

Brick offset landscape pattern – one direction

Style # 5T036 / Color name: Myth / #37505

Contact Matt Hagan at Matt.hagan@shawinc.com

cell: (818) 359-3511 for pricing and stock availability.

iv. Base

Burke 4" Rubber Wall Base, Type TS, Thermoset Rubber / Color: Sky Gray / #663. Install pre-formed inside & outside corner pieces throughout.

For complete Clinic redesign use:

Burke Profiles **Contemporary Type TP** (4.5CBR-663-CON): 5/16" (7.94 mm) thick by 4-1/2" (11.43 cm) high flat surfaced wall base profile with sculptured top.

One 36 ft. (11 m) coiled length per carton or 8' strips as available.

42 lbs (19 kgs.) per carton.

Mitre inside and outside corners

Contact Jaime Topete at JaimeTopete@burkeindustries.com cell (562) 202-8463 for pricing and stock availability .

b. Paint Color Requirements

i. FRP Panels

MARLITE "Artizan FRP" #211 color: Grizel. Install to plus 54" AFF-.(48" sheet on top of 6" self-covered base)

ii. Paint

Promar 200 Zero EG Shel

iii. Primer

Promar 200 Zero VOC Primer (new construction or in accordance with manufacturer's recommendation)

iv. Colors

Formulas provided on attached Exhibit A.

1. Main Wall (throughout Clinic except accent walls listed below)
Sherwin Williams 6238 Icicle - EG-Shel

2. Restroom Walls
Behr N470-2 Oceanic Climate - EG-Shel (Semi-gloss for all walls in Restroom)

3. Accent Wall (single wall only)

a. Olympic D58-4 Dover Gray - EG-Shel

Front desk, Offices, Break room and Conference room:

Accent wall to be the single wall that is most visible from all angles when you stand in the hallway with the door open.

b. Behr N470-2 Oceanic Climate - EG-Shel

Procedure and Exam Rooms:

Accent wall to be the same single wall in each exam room as you proceed down the hallway. Procedure room accent wall should use the single wall with EMR monitor or the least cluttered wall.

Front desk, PT and hallways:

Accent wall on one single wall.

(Second color choice deleted).

c. Sherwin Williams 7582 Salute - EG-Shel

Front desk & Lobby:

Accent wall should be on single wall behind reception counter.

Silver sintra letter logos would be mounted on this wall.

d. 3D Wavy wall as accent art painted Icicle with horizontal waves.

4. Existing Door Frames and Trim

Sherwin Williams 6238 Icicle – Gloss

5. Door Frames and Trim

Door and window frames to be factory finish clear extruded aluminum (Western Integrated or approved equal)

c. Misc. Finishes

i. Window Shades

Clutch Roller Shades with stainless steel chain, wrapped hem bar and cassette valances:

Mermet / S-screen Elements / Color: Sea Salt / 4% open

ii. Cubicle Curtains

Diamond Drapery / Fabric: Equalizer / Color: Light blue

Contact: Austin@diamonddrapery.com

iii. Textures 3D Panel

White wave wall: 150HD-Wave 150 / Medium Density Fiber Board / Icicle Paint/ Horizontal Waves

Website: textures3dpanels.com

iv. Chair Rails / Corner Guards

Chair Rails: Acrovyn #FR-225N 2.25”h with continuous aluminum retainers, inside mitered corners and end caps. Color: Pearl Gray / #136

Chair rails go in all areas on the walls where the exam table will be against.

Corner Guards: Acrovyn #SSM-20 surface mounted 90° Corner Guards / Color: Pearl Gray / #136. Install to plus 48" AFF

Corner guards go on all corridor corners.

d. Millwork

i. Vertical Surfaces

Wilsonart-Cocobala / #7942K-07

ii. Doors

Plastic laminate: Wilsonart – Cocabala / #7942K-07

iii. Horizontal Surfaces

Counter Top Laminate: Wilsonart - Bainbrook Grey / # 1863K-55

Use Nova Edge 180 wrap for all laminated countertops with integral splashes.

iv. Quartz Counter Top:

Front transaction upper and lower counters only with full bullnose edge.

Home Depot / Quartz Counter top / Silestone / Color name: Alpina White / Model #SSQ0020 / Internet order #203674391

e. Millwork Hardware

i. Melamine

Color: White

ii. Cabinet Pulls

MOCKETT & CO. #DP 105A/2-26M Aluminum Rectangular Pull
5-7/16" O.L. Matte Chrome finish

iii. Recessed Cabinet Pull

MOCKETT & CO. #DP 136-26M Recessed Square Pull 2-3/4" square Matte
Chrome finish

iv. Full-Extension Glides

BLUM with fully extended drawer box. Color: White

v. Cabinet Hinges

BLUM Concealed self-closing hinges. Finish: Zinc

vi. Grommets

MOCKETT & CO. #EDP3-26D 2-1/2" Flip Top Grommet. Satin Chrome
finish

vii. Crutch Hanger

E.B. BRADLEY CO. #K3-10, 10" long sturdy steel rod. Anochrome finish

viii. Wall Mounted Shelving

5/8" x 20" deep Melamine with edge banding and Knappe and Vogt Super
Duty Industrial Grade 87 Series Standard and 186/187 Series Bracket
System at 16" O.C.

f. Doors / Frames / Hardware

i. Single Interior Door

3'-0" x 7'-0" x 1-3/4" Solid Core, Pre-Finished Wood Door
Marshfield Birch-Natural/Rotary Cut/ Finish to match Formica Plastic
Laminate, Wilsonart-Cocobala / #7942K-07

ii. Single 42"W Interior Door

3'-6" x 7'-0" x 1-3/4" Solid Core, Pre-Finished Door
Marshfield Birch-Natural/Rotary Cut/ Finish to match Formica Plastic
Laminate, Wilsonart-Cocobala / #7942K-07

iii. Single Lead-Lined Door & Frame

RADIATION PRODUCTS, INC. X-ray Room Door & Frame
3'-0" x 7'-0" x 1-3/4" Plastic Laminate Door Formica
Wilsonart-Cocobala / #7942K-07 with lead lining per Radiologist's Report.

iv. Interior Door Frame

Western Integrated Extruded Aluminum with clear finish.

v. Butts

3 each Hager BB1279 4.5 x 4.5 US26D HA

vi. Door Stop

STANLEY CD75-0061 CD 75-0054 Finish 4515

vii. Lever Lockset/Latch set

STANLEY 7KC with 14 Lever
Full-size Small format interchangeable core, 7 pin TE keyway, in #626 -
Satin Chrome Finish. Entry to be keyed separately; offices and common
areas to be keyed alike.

viii. Combination Lock/Classroom Lock

Install on doors that lock: medical records rooms, waiting room to clinic
side (unlocked on clinic side, locked on waiting side), and IT/Telco closet
(do not commingle other functions with the IT/Telco room).

ix. Cypher "Keyless" Lock (optional by request)

SIMPLEX 8100 Series Heavy Duty Lock #8148, 26D Satin Chrome finish.

x. Door Closer

STANLEY D4550 T6 89, Powder Coat Aluminum finish

xi. Coat Hook

BOBRICK Single Robe Hook 76717 Satin Finish Stainless Steel

xii. Kick Plates

Stainless steel 24" high x door width minus 1" at front waiting areas only. Janitors closets to receive 36" high kick plates outside only. (Kick plates ONLY at Waiting Reception Doors and Janitors Closets)

xiii. All Doors

All doors are to be manufactured pre-fit for each specific hardware group.

xiv. Show Drawings

Shop Drawings for all doors and hardware are required to be submitted to the Architect and Owner for review and approval prior to releasing doors and hardware for fabrication.

4. Ceiling

a. Suspended Ceiling

- i. ACT-1 Armstrong Silhouette XL 9/16" White Grid 76008 with Ultima beveled tegular tile #1952 2' x 2'
- ii. White Grid — Armstrong #8200-WA Prelude Plus
- iii. Test Toilet – Drywall finished smooth and painted

5. Lighting and Electrical Trim

a. 2' X 4' Fluorescent Fixture

LITHONIA LIGHTING "Avante" Series #2AV ST 3 32W T8 (48") Recessed, ambient fixture, MDR, direct/indirect with white metal diffuser, staggered round holes.

b. 2' X 4' Dimming Fixture

LITHONIA LIGHTING "Avante" Series Similar to above except with Dimming Ballast. Used only if not digital x-ray

c. Compact Fluorescent

LIGHTOLIER Compact Fluorescent Down light #LF6 1/26-42TRT F601AZ MVOLT 6" Horizontal Semi-specular reflector. (1) 32W triple tube 4-pin lamp.

d. Compact Fluorescent Wet Locations

LIGHTOLIER Compact Fluorescent Down light similar to above, except with wet label.

e. Exit Signs

LITHONIA Precise" Edge-Lit LED exits - clear with green letters #LPR 1&2 GC 120/277 EL N.

f. "X-ray In Use" Sign

CHLORIDE CALIBER SIGNAGE # CS-A-2-R-M-E14 120/277V Ceiling or wall mounted, two-sided LED "X-ray-In-Use" light, with mirror face with red letters (or equivalent). Above X-ray door.

g. Exhaust Fan

Per Engineer's specifications. (Toilets and Janitor's Closet only)

h. All electrical devices to be Decora-white.

6. Restroom Fixtures

a. ADA Wall-Mount Lavatory

AMERICAN STANDARD "Wheelchair User's" #9141.011 lavatory with faucet holes at 4" centers. Color: White

b. ADA Faucet

CHICAGO FAUCETS "E CAST" MeterMix deck mounted metering faucet #3300-ABCP - Polished Chrome with BRADLEY "Navigator" Thermostatic Mixing Valve #S59-4000A

c. ADA Round-Bowl Sink

ELKAY "Lustertone" Round bowl #RLLVR 16, 16" dia. 18 gauge Nickel bearing steel, satin finish, self-rimming lavatory with overflow.

d. ADA Faucet

KOHLER "Forte" #K-10215, Center set, single handle deck mount faucet. Polished chrome finish.

e. ADA Toilet

KOHLER "Highline Series" #K-4405, elongated toilet bowl with top spud.
KOHLER "Lustra" standard elongated toilet seat. Color: White. KOHLER #K-10956 Touchless Toilet Flushometer.

f. Locking Tank Model Toilet

ZURN #Z5550-VL Floor mounted ADA tank-type with vandal resistant lockdown.

g. ADA Urinal

KOHLER "Bardon Series" #K-4904-ET, urinal w/ top spud. Color: White. KOHLER #K-10949 flush valve.

h. ADA Shower System

ZURN "Temp-Gard III" #Z7300-SS-MT-HW-H7 Shower Unit with Single handle mixing spray with 24" adjustable height bar.

7. Restroom Accessories

a. Toilet Room Partitions

All American Metal floor-to-ceiling style toilet partition: Powder Coated Baked Enamel Finish. Color: Pearl Gray [Color no longer available. #30 Light Grey.](#)
Alternate: Accurate and Ampco

b. Paper Towel Dispenser [\(O.F.C.I.\)](#)

17207 McKesson 613677 Georgia Pacific 59498 Motionless hand towel dispenser enMotion translucent smoke 13.23 x 9.5 x 13.12. [\(Located at all sinks\)](#)

c. Toilet Seat Cover Dispenser

BOBRICK #B-221 Surface-mounted toilet seat cover dispenser. Satin stainless steel finish. Provide 1 unit per toilet, except at Drug-test. Mount at 54" AFF to top of unit.

d. Toilet Tissue Dispenser

BOBRICK #B-2740 Double roll, surface-mounted dispenser. Satin stainless steel finish. Provide 1 unit per toilet.

e. Soap Dispenser [\(O.F.C.I.\)](#)

17216 McKesson 874029 Gojo touchless hand wash dispenser chrome/black. [Model H-5066. \(Located at all sinks\)](#)

f. Mirror

BOBRICK #B-165 Series Mirror with stainless steel channel frame. 24"W x 36"H.

g. Grab Bars

BOBRICK #B-6806 Series, 36"L & 42"L x 1 1/4" diameter bars with snap flanges. Satin stainless steel finish. Provide at ADA compliant locations and heights. ADD 18" VERTICAL BAR TO MEET CODE REQUIREMENT.

h. Coat Hook with Bumper

BOBRICK #B-212 alum w/ matte finish. Provide 1 per toilet partition door.

i. Coat Hook

BOBRICK B-6717

j. Curtain Rod

BOBRICK #B-6047 extra heavy-duty shower curtain rod

k. Shower Curtain

Cubicle Curtain INPRO CORP. Curtain Fabric with Liner Chalet Color: [Doeskin](#)

I. ADA Shower Seat

BOBRICK B-5181 Reversible Ivory Color ADA anti-Microbial L-shaped Color: **Bone**

m. Shower Towel Ring

BOBRICK 204-1 Stainless Steel Shower Curtain Hook

n. Sanitary Napkin Receptacle

BOBRICK B270 Surface- Mounted Napkin Disposal

o. SS Cup Shelves (IN DS TOILETS ONLY)

BOBRICK B-295 x 16 shelf

8. Fire/Life Safety/Signage

a. Fire Extinguisher

LARSEN "Architectural Series" cabinet, 1-1/4" square trim, semi-recessed with "Vertical Duo" clear acrylic door type. Clear Satin Anodized Finish (AL). USED WITH LARSEN'S MP-10 MULTI-PURPOSE ABC 10LB. FIRE EXTINGUISHER. Locate every 75' or less.

These specifications are subject to existing tenant improvements in place and/or landlord's standards to be maintained.

b. ADA Restroom Signage

i. Women's Room

1. 12" diameter door sign: Stainless steel with black raised pictogram, text & Grade 2 Braille.

Alternate: INPRO CORP. spx20alumexuf - exterior grade unpainted face to expose aluminum core - 12x12

2. 8" x 8" wall sign: Stainless steel with black raised pictogram, (include handicap symbol), text and Grade 2 Braille.

Alternate: INPRO CORP. spx20alumexuf - exterior grade unpainted face to expose aluminum core - 8x8

ii. Men's Room

1. 12" triangular door sign: Stainless steel with black raised pictogram, text and Grade 2 Braille. INPRO CORP. spx20alumexuf -exterior grade unpainted face to expose aluminum core - 12x12
2. 8" x 8" wall sign: Stainless steel with black raised pictogram, (include handicap symbol), text and Grade 2 Braille. INPRO CORP.

spx20alumexuf -exterior grade unpainted face to expose
aluminum core - 8x8 - \$50.00

9. Equipment

a. General Office/Administration

i. Copier/Scanner (High level usage)

RICOH #MP 6001 Nema 5-20R plug type, 20 amp outlet
MP 6054 Plus B&W Laster Multifunction Printer, 120V/60Hz/12A
23.1"x26.8"x37.9".

ii. Copier/Scanner (Mid level usage)

RICOH #MP 3350 SP Nema 5-15R plug type, 110 V outlet
MP 3554 Black & White Laster Multifunction Printer, 120V/60Hz/12A
23.1"x26.8"x35.9".

iii. Copier/Scanner (Desk top)

RICOH#MP 171 SPF Nema 5-20R plug type, 110 V outlet
MP 301 SPF Black & White Laser Multifunction Printer Desktop
120V/60Hz/8A, 19"x17.7"x18.1".

iv. Fax Machine

v. Label Printer

vi. Articulating Keyboard Tray

vii. Laundry Center

GE GTUP270EMWW (DISCONTINUED?) GE Model # GUD27ESSJWW
Internet # 205908364 Spacemaker Washer and Electric Dryer in White

viii. Washing Machine

GE GTW485ASJWS 4.2-cu ft. High Energy Top Loading Color White
27"x27"x 56", 120V/60Hz/15A
27W x 31"D x 75-1/2"H 240V, 60Hz, 30 Amps.
Provide water supply and drain, required electrical outlets, metal exhaust
ducting and ventilation per manufacturer's specs.

ix. Dryers

GE GTD45EASJWS 7.2 cu ft. Electric Color White
27"x29.5 208/240V

x. Top Mount Refrigerator

FRIGIDAIRE FFTR1817LW
30"w X 30-1/8d X 66-5/8"h Color: White 30"Wx 66.13"Hx29.88"D

xi. Under Counter Refrigerator

Summit SPR70SST1ADA 24"Wx25"Dx32"H SS Lockable \$1685
Available at AJ Madison, 15A/115V

xii. ADA Dishwasher (by G.C.)

GE GDF520PGDWW
23-3/4"w x 24d x 34h 60HZ, 120V, 15A Coor: White
Summit DW2433SSADA 32.23"Hx23.5"Wx22.5"D Available at Amazon
\$680.90

xiii. Microwave

TBD
GE 2.0 cu ft. Countertop White 19.25"Dx13.625"Hx23.875"H, 1200 watts

xiv. Garbage Disposal (by G.C.)

IN-SINK-ERATOR Pro-333 Series 13h x 7.5dia
1/2 HP, 115Vac, 6.7A
GX Pro-Series 13.375"Hx5.375D, 1/2 HP, 115V

b. Medical

i. Trauma Exam Chair (USHW)

Provide 120v flush, floor outlet

ii. Procedure Light Unit (USHW)

BURTON "Out-Patient" Single Ceiling Mounted #OP216SC 120V, 50HZ

iii. Digital CR Unit and PC Station (USHW)

FUGIFILM Carbon X/XL
(1) Quad 110V, 20 amp dedicated outlet to serve:
Reading Unit: 110V, 5amp
CPU: 110V, 2amp
LCD Display: 110V, 0.6 amp
(2) Network Data Drops, RJ-45 connections. 100base-T network

iv. Full Height Refrigerator (USHW)

FRIGIDAIRE FFTR1817LW
30"w X 30-1/8d X 66-5/8"h Color: White 30"Wx 66.13"Hx29.88"D

v. Under Counter Refrigerator

Stainless Steel Finish
Summit SPR70SST1ADA 24"Wx25"Dx32"H SS Lockable \$1685
Available at AJ Madison, 15A/115V

vi. Hazardous Waste Compactor (USHW)

DEMOLIZER II 13"w x 22.5"d x 16"h, 120V, 60HZ, 10A
Requires analog data port.

vii. X-Ray Equipment

UMG/Del Medical FWFC w/AN, RT100, VS100

viii. Audio Booth/Vocal Booth

UMG/Del Medical FWFC w/AN, RT100, VS100
Platinum Series 91"HX4'WX6'D

c. Physical Therapy

i. Electrical Stimulator Unit

SOLARIS #700 Series 110-240V, 50/60 HZ, 85W

ii. Infrared Heat Lamp

LHASA IR-PRO #250 Professional Heat Lamp 11V, 250W Lamp

iii. Treadmill

SPORTSART #T610. 110V, 20amp dedicated circuit.

iv. Cycle

SPORTSART #C52 Series. Self-generating

v. Bike

SCIFIT Pro1 Series, 110V

vi. Elliptical Trainer

SPORTSART #E821 110V, Dedicated circuit

vii. Hydrocollator Heating Unit

M2 Mobile Hot Pad Unit. 120V, Dedicated circuit
Chattanooga Group M2, 120 V

viii. Cold Pack Freezer

COLPAC 115V, 60Hz, 1.5 amps, 151W

ix. Whirlpool Bath

FERNO #404 SS Hi/Lo Jr. Whirlpool. 120V, 60Hz, GFI outlet

x. Paraffin Bath

PARABATH 110V

xi. Treatment Table

METRON ELLITE 7-Section Table.120V, 60Hz, 2.7A, 70W max

xii. Traction Package

CHATTANOOGA Hi/Lo Table with Difital Traction Unit 110V. Requires (2) plugs.

xiii. PT Blanked Rack

Included in Millwork Shop Drawings

d. Clinic

i. Diagnostic Wall Set

Welch Allyn wall units- 6 - **Welch Allyn Green Series 777 Diagnostic Wall Set Product Code: 77792-MNOBP** Includes: GS 777 Wall Transformer with Coaxial Ophthalmoscope (11720), MacroView Otoscope (23810). \$810.77

ii. Chart Holders (9)

Quill Brand® Wall-Mount Letter-Sized Pockets; 3-Pocket Set, Smoke, 19-1/4Hx13Wx4"D

iii. Sharps Containers (9)

Uline

Model No. 15309, 5 quart cabinet; 13 x 5 ½ x 11 ¾" - \$29 each/\$25 (2⁺)

iv. Glove Holders (9)

1. Uline

Model No. H-1647, 11 x 5 x 4" - \$25 each/\$23 (2⁺)

2. Uline (Acrylic)

Model No. H-6120, 11 x 10 x 4" - \$31 each/\$29 (2⁺)

3. Uline (Acrylic)

Model No. H-1648, 11 x 15 x 4" - \$39 each

v. Crutch Holder – Double Cane & Crutch Storage Rack

762 0011 Advantage Medical, Inc.

vi. X-ray Apron rack - Wolf X-Ray Lead Apron & Glove Rack Item #:

AR2Price: \$169.00

Wolf X-Ray 16400 wall mounted Tri-Rak holds a protective apron and a pair of protective gloves. Specifications: 16" H x 28" W x 8" D.

vii. AED - Cardiac Science Powerheart AED G3 Plus

Your Complete Rescue-Ready Unit Includes:

1. 1 Brand New Powerheart AED G3 Plus With Rescue Coach CPR
2. 7 Year Warranty
3. 2 Pairs of Adult Electrode Pads (1 as spare)
4. 1 Battery With 4 Year Warranty
5. 1 User Manual
6. 1 Quick Start Tool Kit on CD-ROM with Training & Demo
7. 1 RescueLink and MDLink Software
8. 1 Computer Interface Cable

ATTACH FLOORING MAINTENANCE REQUIREMENTS

Exhibit A
(Quart Formulas)

SHERWIN-WILLIAMS 8294 04/22/16
661-260-1581 Order# 0079374

INTERIOR ARCHITECTURAL
COLOR TO GO LATEX
SATIN IFC 8012NP

7582 SALUTE
SHER-COLOR FORMULA

| | | | | |
|--------------|----|----|----|-----|
| CCE*COLORANT | OZ | 32 | 64 | 128 |
| N1-Raw Umber | - | 10 | - | 1 |
| R2-Maroon | - | 14 | - | 1 |
| R3-Magenta | - | 51 | - | 1 |
| Y1-Yellow | - | 4 | - | 1 |

QUART ULTRADEEP
A91T00354 650462336

Non Returnable Tinted Color
CAUTION: To assure consistent color, always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip.



SHERWIN-WILLIAMS 8294 04/22/16
661-260-1581 Order# 0079374

INTERIOR ARCHITECTURAL
COLOR TO GO LATEX
SATIN IFC 8012NP

D58-4 DOVER GRAY
CUSTOM SHER-COLOR MATCH

| | | | | |
|--------------|----|----|----|-----|
| CCE*COLORANT | OZ | 32 | 64 | 128 |
| W1-White | - | 5 | - | - |
| B1-Black | - | 18 | - | 1 |
| R2-Maroon | - | 1 | - | - |
| Y3-Deep Gold | - | 3 | - | - |

QUART DEEP
A91W00353 650462328

Non Returnable Tinted Color
CAUTION: To assure consistent color, always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip.



SHERWIN-WILLIAMS 8294 04/22/16
661-260-1581 Order# 0079374

INTERIOR ARCHITECTURAL
COLOR TO GO LATEX
SATIN IFC 8012NP

COMP(B003) N470-2 OCEANIC CLIM
CUSTOM SHER-COLOR MATCH

| | | | | |
|--------------|----|----|----|-----|
| CCE*COLORANT | OZ | 32 | 64 | 128 |
| B1-Black | - | 4 | 1 | 1 |
| G2-New Green | - | 1 | - | - |

QUART EXTRA WHITE
A91W00351 650462302

Non Returnable Tinted Color
CAUTION: To assure consistent color, always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip.



SHERWIN-WILLIAMS 8294 04/22/16
661-260-1581 Order# 0079374

INTERIOR ARCHITECTURAL
COLOR TO GO LATEX
SATIN IFC 8012NP

6238 ICICLE
SHER-COLOR FORMULA

| | | | | |
|--------------|----|----|----|-----|
| CCE*COLORANT | OZ | 32 | 64 | 128 |
| B1-Black | - | - | 1 | 1 |
| L1-Blue | - | - | - | 1 |
| R4-New Red | - | - | - | 1 |

QUART EXTRA WHITE
A91W00351 650462302

Non Returnable Tinted Color
CAUTION: To assure consistent color, always order enough paint to complete the job and intermix all containers of the same color before application. Mixed colors may vary slightly from color strip or color chip.

